

Kathleen B. LevitzVice President-Federal Řegulatory

OCKET FILE OUT ORIGINAL

Suite 900 1133-21st Street, N.W. Washington, D.C. 20036-3351 202 463-4113 Fax. 202 463-4198 Internet: levitz.kathleen@bsc bis com

March 10, 1998

FX PARTE OR LATE FILED

RECEIVED

- MAR 1 0 1998

FEDERAL COMMUNICATIONS COMMISSION
OFFICE OF THE SECRETARY

EX PARTE

Ms. Magalie Roman Salas Secretary Federal Communications Commission 1919 M Street, NW, Room 222 Washington, D.C. 20554

Re: CC Docket No. 97-208, CC Docket No. 97-231,

CC Docket No. 97-121, CC Docket No. 97-137,

CC Docket No. 96-98, and RM-9101

Dear Ms. Salas:

This is to inform you that Randy New, Allan Price, Jim Llewellyn, Robert Blau, and the undersigned, all of BellSouth Corporation, and Erwin Krasnow of Verner, Lipfert, Bernhard, McPherson & Hand, met with Commission staff on March 3, 1998. The following Common Carrier Bureau staff members attended some or all of this meeting: Carol Mattey: Michael Pryor; Jonathan Askin; Bill Bailey; Michelle Carey; Greg Cooke; Jke Jennings; David Kirschner; Daniel Shiman; Jeannie Su; and Joe Welch.

During the meeting the participants discussed issues related to the showings required to demonstrate that an applicant has complied with the checklist requirements set forth in Sections 271 (iv), (v), (vi), and (xi) of the Communications Act, as amended. Documents related to these subjects that were filed with you on February 25, 1998, formed the basis for this discussion.

Attachment 1 is a copy of a document prepared in response to an earlier Commission staff request. Representatives of BellSouth explained and gave copies of this document to Commission staff at the meeting.

Because the Commission is considering one or more of the issues discussed at the meeting in each of the proceedings identified above, we are filing notice of this $\underline{\mathsf{ex}}$ parte meeting in each of those proceedings.

As required by Section 1.1206(a)(2) of the Commission's rules, we are filing with the Commission two copies of this notice in each of the proceedings identified above. Please associate this notification with each of those proceedings.

Sincerely,

Kathleen B. Levitz

Vice President - Federal Regulatory

Kathleen B. Levrtz

Attachment

cc: Jonathan Askin

Greg Cooke Carol Mattey Jeannie Su Jake Jennings Michael Pryor Joe Welch

Bill Bailey

Michelle Carey David Kirschner Daniel Shiman

BELLSOUTH'S EVIDENCE OF COMPLIANCE WITH CHECKLIST ITEM 2: NONDISCRIMINATORY ACCESS TO NETWORK ELEMENTS

- BellSouth provides CLECs access to a number of network elements and sub-elements on an unbundled basis, and on standardized terms. Standard offerings include access to local loops, network interface devices, switching capability, interoffice transmission facilities, signaling networks and call-related databases, operations support systems functions, operator services, and directory assistance. Additional details concerning these offerings are given in BellSouth's discussion of other Checklist items.
- Where technically feasible, access to additional UNEs may be obtained through BellSouth's Bona Fide Request Process.
 - BellSouth developed the Bona Fide Request process jointly with AT&T.
 - The process requires BellSouth to acknowledge in writing, within two business
 days, its receipt of a CLEC request, and further requires BellSouth to identify a
 single point of contact for that request.
 - BellSouth will provide a preliminary analysis of the request within 30 days of its receipt except in extraordinary circumstances (in which case BellSouth and the CLEC will agree upon a mutually acceptable date).
 - As soon as feasible, but not more than 90 days after it is authorized by the CLEC to proceed with development of a complete proposal, BellSouth will provide its proposal to the requesting CLEC. The proposal will address the following, at a minimum: a description of the network element, availability, applicable rates, and installation intervals
 - The requesting CLEC has 30 days from receipt of the proposal to notify BellSouth of its acceptance or rejection of the proposal.
- BellSouth does not impose any limitations, restrictions, or requirements on requests for or use of a UNE that would impair a CLEC's ability to provide a telecommunications service in the manner it intends.
- CLECs obtain exclusive use of an unbundled network facility and may use features, functions, or capabilities for a set period of time.
- BellSouth retains the obligation to maintain, repair, or replace UNEs.
- BellSouth permits any CLEC to recombine UNEs on an end-to-end (or any other) basis.

- In satisfaction of 47 U.S.C. §§ 251(c)(3) and (c)(6), BellSouth provides CLECs that so desire with physical or, at the CLEC's option, virtual collocation for the purpose of combining UNEs. Collocation arrangements are discussed in greater detail in BellSouth's discussion of Checklist Item 1.
- BellSouth has established comprehensive performance measurements to facilitate verification that BellSouth is providing nondiscriminatory access to UNEs.
 - BellSouth is legally bound, through its interconnection agreements, statements of generally available terms and conditions, and state commission orders, to provide performance measurements.
 - As described in Attachment 1 hereto, BellSouth has developed a comprehensive set of measurements covering pre-ordering, ordering and provisioning, maintenance and repair, and billing of interconnection, UNEs, and resold services, among other functions.
 - In addition to creating performance measurement reports based on the extensive data it collects, BellSouth provides CLECs direct access to the data used to generate these reports, thereby enabling CLECs to obtain specific results without intervention by BellSouth. BellSouth will maintain performance data for a two-year period from the time when reports are initially produced.
- BellSouth provides nondiscriminatory access to OSS functions for pre-ordering, ordering
 and provisioning, maintenance and repair, and billing of interconnection, resold retail
 services, and UNEs. BellSouth's OSS interfaces are operated and made available to
 CLECs on a region-wide basis.

Pre-ordering

- There currently is no industry-standard pre-ordering interface. However, BellSouth is committed to implementing whatever pre-ordering standards the industry develops.
- BellSouth provides CLECs with real-time access to the same pre-ordering databases used by BellSouth's retail representatives through either the Local Exchange Navigation System ("LENS"), the Common Gateway Interface ("CGI"), or EC-Lite. Each of these interfaces provides CLECs with access to pre-ordering information in substantially the same time and manner as BellSouth's own retail representatives.

- LENS and EC-Lite are superior to BellSouth's retail systems in that they provide a single interface for both residential and business customers throughout all BellSouth states.
- EC-Lite, which was developed at AT&T's request, has been fully tested
 and has been available to CLECs since December 30, 1997. EC-Lite
 allows CLECs to perform pre-ordering and ordering functions using their
 own OSSs.
- CLECs may integrate LENS data into their own internal systems using CGI, which allows CLECs to obtain and manipulate the LENS data electronically. BellSouth's CGI interface was updated on December 15, 1997 and the updated interface has been provided to all requesting CLECs.

Ordering and Provisioning

- EDI, the primary ordering interface offered to CLECs, has been available since December 1996.
 - The EDI interface conforms to the national standards for local exchange ordering established by the Ordering and Billing Forum subcommittee of the Telecommunications Industry Association. BellSouth is implementing Version 7.0 of the EDI standard in March 1998.
 - EDI currently supports electronic ordering for services that represent 80 % of BellSouth's total retail operating revenue, including 34 resale services and some unbundled network elements, including unbundled loops, ports and interim number portability.
 - Several complex services may be ordered using EDI. The specialized nature and low volume of these complex services necessitates substantial manual handling, however. Orders for such services are processed in substantially the same manner for CLECs as for BellSouth's own retail customers.
 - BellSouth also has developed PC-based EDI software, allowing even the smallest CLEC to use EDI. Four CLECs are using this interface, which is known as EDI-PC.
 - Seven CLECs currently are using EDI.

- CLECs also may order infrastructure-type elements such as interconnection trunking using Exchange Access Control and Tracking System ("EXACT").
- LENS and CGI also may be used to order a subset of resold services. Forty-four CLECs currently use LENS for ordering.
- Orders for UNEs that constitute an existing retail service are treated as resale orders.
- All CLECs utilizing BellSouth's OSS interfaces have been provided with a complete set of the business rules used by BellSouth in processing their orders. These rules include (1) rules governing the Local Exchange Ordering Implementation Guide, (2) rules governing the Local Exchange Ordering database ("LEO"), which checks orders for completeness, and (3) rules governing the Local Exchange Service Order Generator ("LESOG") and the Service Order Edit Routine ("SOER") of BellSouth's Service Order Control System ("SOCS"), which check for data validity (including checks against pre-ordering databases for valid addresses, proper reservation of telephone numbers, availability of the ordered feature in a specific central office, and valid combinations of services and features).
- CLECs may integrate ordering and pre-ordering functions using their own interface (such as EC-Lite, which was developed initially by AT&T); by integrating pre-ordering information from LENS with the ordering functions of EDI; or by using LENS for both pre-ordering and ordering.
- Fully mechanized order generation is currently available for 34 resale services. These services represent approximately 90% of BellSouth's consumer and small business revenues. All aspects of order generation including firm order confirmations and completion notices are fully mechanized for these services.
 - In January 1998, approximately 63.7 % of CLEC orders for these services and selected UNEs flowed-through EDI AND LENS without human intervention. After correcting for CLEC-caused errors, approximately 90.5 % of CLEC orders flowed-through.
 - BellSouth has developed a mechanism to provide CLECs electronic notification of order errors. BellSouth has created a standard set of electronic error messages which will be returned to the CLECs via EDI, LENS, or CGI. These errors will allow the CLECs to recognize and correct any errors in their orders and resubmit them.

- A subset of this service has been tested with MCI and has been available to all CLECs since November 1997. The full-blown expanded service providing electronic notification of order errors will be available to all CLECs as of March 16, 1998.
- BellSouth's electronic interfaces for ordering and provisioning produce firm order confirmations ("FOCs") for CLECs in substantially the same time and manner as they are produced for BellSouth.
 - A FOC is produced and returned electronically for correct orders submitted electronically.
 - Of CLEC EDI orders submitted correctly in January 1998 in BellSouth's region, 84% resulted in FOCs in less than 4 hours, and 92% resulted in FOCs in less than 24 hours. For all the January EDI orders which required manual handling, 83% resulted in FOCs in less than 24 hours.
- Order status notifications for CLECs (including jeopardy notifications) are delivered to CLECs in substantially the same time and manner as they are produced for BellSouth.
 - Service jeopardy notifications are delivered via a printed (faxed)
 document, in substantially the same time and manner as they are delivered
 to BellSouth's own retail operations.
- At AT&T's request, BellSouth also has developed a system that notifies local exchange carriers when they have lost a customer.
- The current combined capacity for LENS and EDI is more than 10,000 orders per day, about 400% greater than the peak daily ordering volume experienced by BellSouth to date.

Maintenance and Repair

- BellSouth offers CLECs access to the Trouble Analysis and Facilitation Interface ("TAFI"), the same maintenance and trouble repair system used by BellSouth's own retail representatives.
 - Repair attendants may use TAFI to clear troubles remotely while the customer is still on the line.
 - 25 CLECs have used TAFI to enter trouble reports.

- The TAFI interface can support 130 simultaneous users and 2600 trouble reports per hour for the BellSouth region. This far exceeds actual CLEC usage; 21 CLECs generated a total of 5252 trouble reports between June and December 1997
- BellSouth's machine-to-machine local exchange trouble reporting interface the Electronic Communication Trouble Administration Gateway conforms to the Tl/MI standard for local exchange trouble reporting and notification. This interface provides access to the BellSouth maintenance OSS supporting both telephone-numbered and circuit-identified services, and supports both resold services and UNEs. BellSouth completed testing of this application-to-application gateway in November 1997 and is ready to deploy it with any interested CLEC.
- BellSouth also offers CLECs access to the same T1/M1 industry standard trouble reporting interface used by interexchange carriers to report troubles with access services.

Billing

- BellSouth provides CLECs with access to billable usage information in substantially the same time and manner as BellSouth's retail customers.
 - Generally, services ordered from BellSouth's General Subscriber Lines
 Tariff and Private Line Services Tariff are billed using CRIS while
 services order from the Access Services Tariff are billed using CABS.
 - Pursuant to the negotiation and arbitration process, BellSouth has agreed to provide some CLECs with CABS-formatted bills for services that would normally be billed using CRIS. BellSouth has provided CRIS bills and CABS-formatted CRIS bills since August 1997.
 - BellSouth provides CLECs with an optional interface the Billing Daily
 Usage File detailing daily use of all usage-based services. The bill
 records are provided in the industry-defined Exchange Message Record
 format.
 - The Daily Usage Files may be transferred to the CLEC electronically or via magnetic tape.
 - Nineteen CLECs currently receive daily usage files ad more than 41 million CLEC billable usage records have been processed.

Notice of System Undates

- BellSouth provides CLECs with advance notification and documentation of all proposed system changes.
- BellSouth also provides CLECs with training on all OSS interfaces and extensive documentation of these interfaces.

BellSouth's Proposed Implementation of Georgia Docket No. 7892_U

TABLE OF CONTENTS

CATEGORY	FUNCTION	PAGE #
Pre-Ordering	Average Response Interval	2
	2. OSS Interface Availability	2
Ordering	Firm Order Confirmation Timeliness	5
	2. Reject Interval	5
	3. Percent Rejected Service Requests	5
	4. Percent Flow-through Service Requests	6
	5. Total Service Order Cycle Time	6
	6. Service Request Submissions per Request	6
	7. Speed of Answer in Ordering Center	6
Provisioning	Order Completion Intervals	
	Average Completion Interval	9
	2. Order Completion Interval Distribution	9
	Held Orders	
	3. Mean Held Order Interval	12
	Installation Timeliness, Quality & Accuracy	
	4. Percent Missed Installation Appointments	14
	5. Percent Provisioning Troubles w/i 30 days	14
	6. Percent Order Accuracy	14
Maintenance & Repair	Customer Trouble Report Rate	16
Transfer and the transfer	2. Missed Repair Appointments	18
	Quality of Repair & Time to Restore	10
	3. Out of Service > 24 Hours	19
	4. Percent Repeat Troubles w/i 30 days	19
	5. Maintenance Average Duration	19
	6. Average Answer Time - Repair Center	21
Billing	Invoice Accuracy & Timeliness	<u> </u>
Diting	1. Invoice Accuracy	22
	2. Mean Time to Deliver Invoices	22
Operator Services and	Directory Assistance	
Directory Assistance	1. Average Speed to Answer	24
Ducciory Assistance	2. Mean Time to Answer	24
	Operator Services	24
	3. Average Speed to Answer	24
	4. Mean Time to Answer	
FALL		24
E911	1. Timeliness	25
	2. Accuracy	25
Trunking	1. CLEC Trunk Group Service Report	26
	2. BellSouth CTTG Blocking Report	26
	3. Local Network Trunk Group Service Report	26
	4. BellSouth Local Network Blocking Report	26
Appendix A	Additional Information	28

BellSouth's Proposed Implementation of Georgia Docket No. 7892_U

PRE-ORDERING (PO)

Function:	Average Response Interval for Pre-Ordering Information & OSS Interface Availability
Measurement Overview:	As an initial step of establishing service, the customer service agent must establish such basic facts as availability of desired features, likely service delivery intervals, the telephone number to be assigned, the current products and features the customer has, and the validity of the street address. Typically, this type of information is gathered from supporting OSSs while the customer (or potential customer) is on the telephone with the customer service agent. Pre-ordering activities are the first contact that a customer may have with a CLEC. This measure is designed to monitor the time required for CLECs to obtain the pre-ordering information necessary to establish and modify service. Comparison to BST results allow conclusions as to whether an equal opportunity exists for the CLEC to deliver a comparable customer experience (compared to BST) when a retail customer calls the CLEC with a service inquiry.
Measurement	1. Average Response Interval = \sum [(Query Response Date & Time) - (Query
Methodology:	Submission Date & Time)] / (Number of Queries Submitted in Reporting Period)
	The response interval for each pre-ordering query is determined by computing the elapsed time from BST receipt of a query from the CLEC, whether or not syntactically correct, to the time BST returns the requested data to the CLEC. Elapsed time is accumulated for each major query type, consistent with the specified reporting dimension, and then divided by the associated total number of queries received by BST during the reporting period.
	Objective:
	Average response time per transaction for a query for appointment scheduling, service & feature availability, address verification, request for Telephone Numbers (TNs), and Customer Service Records (CSRs). The query interval starts with the request message leaving the CLEC and ends with the response message arriving at the CLEC.
	2. OSS Interface Availability = (Actual Availability) / (Scheduled Availability) X 100
	Objective:
	Percent of times OSS interface is actually available compared to scheduled availability.

BellSouth's Proposed Implementation of Georgia Docket No. 7892_U

Reporting Dimensions:	Excluded Situations:
Not carrier specific.	• None
Not product/service specific.	
Data Retained Relating to CLEC Experience:	Data Retained Relating to BST Performance:
Report Month	Report Month
Query Type (per reporting dimension)	Query Type (per reporting dimension)
Response interval	Response interval
Regional Scope	Regional Scope

RNS Response Times

System	< 2.3 Sec.	> 6 Sec.	Avg. Sec.	# of Calls
RSAG				
- by TN	х	x	x	x
- by ADDR	x	X	x	x
ATLAS	х	X	x	х
DSAP	X	x	x	х
CSR	X	x	x	х
PSIMS/COFFI	x	X	x	x

LENS Response Times

System	< 2.3 Sec.	> 6 Sec.	Avg. Sec.	# of Calls
RSAG				
- by TN	x	x	x	X
- by ADDR	x	x	x	x
ATLAS	X	X	x	х
DSAP	х	x	x	X
CSR	х	x	x	X
PSIMS/COFFI	х	x	x	X

EC-LITE Response Times

System	< 2.3 Sec.	> 6 Sec.	Avg. Sec.	# of Calls
RSAG				
- by TN	x	x	x	x
- by ADDR	x	x	x	x
ATLAS	X	x	x	X
DSAP	X	X	X	X
CSR	X	x	x	X
PSIMS/COFFI	X	X	X	X

BellSouth's Proposed Implementation of Georgia Docket No. 7892_U

OSS Interface Availability

Application	% Availability CLEC	% Availability BST		
LENS	X	X		
LEO	X	X		
LESOG	X	X		
EDI	Х	X		
CLEC TAFI	X	X		
PSIMS	X	X		
HAL	X	X		
BOCRIS	X	X		
ATLAS/COFFI	X	X		
RSAG/DSAP	X	X		
LMOS HOST	X	X		
SOCS (update)	X	X		

BellSouth's Proposed Implementation of Georgia Docket No. 7892_U

ORDERING

Function:	Ordering
Measurement	When a customer calls their service provider, they expect to get information promptly
Overview:	regarding the progress on their order(s). Likewise, when changes must be made, such
O 101 110	as to the expected delivery date, customers expect that they will be immediately notified
	so that they may modify their own plans. The order status measurements monitor,
	when compared to BST result, that the CLEC has timely access to order progress
	, , , , , , , , , , , , , , , , , , , ,
	information so that the customer may be updated or notified when changes and
	rescheduling are necessary. Furthermore, the "% jeopardies returned" measure for the
	CLEC, when reported in comparison to BST result, will gauge whether initial
}	commitments to the CLEC for order processing are as reliable as the commitments BST
	makes for its own operations.
Measurement	1. Firm Order Confirmation Timeliness = ∑ [(Date and Time of Firm Order
Methodology:	Confirmation) - (Date and Time of Service Request Acknowledgment)] / (Number
	of Service Requests Confirmed in Reporting Period)
}	
}	Objective: Interval for Return of a Firm Order Confirmation (FOC Interval) is the
}	average response time from receipt of valid service order request to distribution of
1	order confirmation.
1	order commission.
	Mathadalamu
}	Methodology: Non-Mechanized Results are based on a 100% sample
	Mechanized Results are based on actual data for all orders from the OSS
}	• Mechanized Results are based on actual data for all orders from the OSS
	2 Detect Literal TI (Date and Time of Comics Decreet Beleation) (Date and
	2. Reject Interval = \(\sum_{\text{l}} \) [(Date and Time of Service Request Rejection) - (Date and
	Time of Service Request Acknowledgment)] / (Number of Service Requests
	Rejected in Reporting Period)
	Old Mary Daine Inc. and in the account which time from receipt of contine and on
1	Objective: Reject Interval is the average reject time from receipt of service order
	request to distribution of rejection.
	Methodology:
	Non-Mechanized Results are based on a 100% sample
	Mechanized Results are based on actual data for all orders from the OSS
}	
1	3. Percent Rejected Service Requests = \(\sum \) (Total Number of Rejected Service
	Requests) / (Total Number of Service Requests Received) X 100.
	Objective: Percent Rejected Service Requests is the percent of total orders received
	rejected due to error or omissions.
	Methodology:
1	Manual tracking for non flow-through service requests
	Mechanized tracking for flow-through service requests

BellSouth's Proposed Implementation of Georgia Docket No. 7892_U

4. Percent Flow-through Service Requests = \sum (Total of Service Requests that flow-through to the BST OSS) / (Total Number of Service Requests delivered to BST OSS) X 100.

Objective: Percent Flow-through Service Requests measures the percentage of orders that utilize BSTs' OSS without manual (human) intervention.

Methodology:

- Mechanized tracking for flow-through service requests
- 5. Total Service Request Cycle Time = (Σ Date & Time CLEC Service Requests placed in queue for completion) (Σ Date & Time CLEC Service Requests first reaches BST Interface) / Total Number of Service Requests

Objective: The average time it takes to process a CLEC service request, measured from the first time the request reaches the BST interface to the order being placed in queue for completion. Comparisons can be made to equivalent BST cycle times to assure the CLEC of processing parity. Service Request Cycle Time captures both reject and commitment intervals.

Methodology:

Mechanized tracking for flow-through orders

6. Service Requests submissions per request = \sum (Total Service Requests that flow-through to the BST OSS) + (Total Rejects) / (Total Service Requests Received)

Objective: Measures the average number of times the same service request is resubmitted due to changes and/or updates.

Methodology:

Mechanized tracking for flow-through service requests

7. Speed of Answer in Ordering Center = \sum (Total time in seconds to reach LCSC) / (Total # of Calls) in Reporting Period.

Objective: Measures the average time to reach a BST representative. This can be an important measure of adequacy in a manual environment or even in a mechanized environment where CLEC service representatives have a need to speak with their BST peers.

Methodology:

Mechanized tracking through LCSC Automatic Call Distributor.

BellSouth's Proposed Implementation of Georgia Docket No. 7892_U

Reporting Dimensions:	Excluded Situations:
 See Appendix A, item 1 See Appendix A, item 4 	Firm Order Confirmation Interval - Invalid Service Requests Rejection Interval Percent Rejected Service Requests - None Percent Flow-through Service Requests - Rejected Service Requests Service Requests canceled by the CLEC Service Request Activities of BSTassociated with internal or administrative use of local services.
Data Retained Relating to CLEC Experience:	Data Retained Relating to BST Performance:
 Report Month Interval for FOC Reject Interval Total number of LSRs Total number of Errors Adjusted Error Volume Total number of flow through service requests Adjusted number of flow through service requests Geographic Scope 	 Report Month Interval for FOC Reject Interval Total number of LSRs Total number of Errors Adjusted Error Volume Total number of flow through service requests Adjusted number of flow through service requests Geographic Scope

Firm Order Confirmation Timeliness

. .

		Mechan	ized	Non-Mech	bezine	Mechan	ized	Non-Mech	anized
	%<10 days	<5 citta	>=5 ckts	<5 cities	>=5 citts	<10 citts	>=10 ckts	<10 ckts	>=10 ckts
Trunks	Х								
UNE	1					X	x	X	×
UNE (Specials)	1			1		×	x	×	×
Resale - Residence	}		}	ţ	ł	×	×	X	X
Resale - Business	}		}	}	1	X	X	\ x	X
Resale - Specials		ì				×	×	X	×
UNE - LOOPE WILNE	.	X	X	X	X	!			<u> </u>

Reject Timeliness

		Mechanized		Non-Mech	enized	Mechanized		Non-Mechanized	
	%<10 days	<5 cids	>=5 ckts	<5 ckts	>=5 cids	<10 ckts	>=10 ckts	<10 ckts	>=10 ckts
Trunks	×								
UNE	!		5	j		X	X	X	X
UNE (Specials)]		}	}	1	X	X	X	X
Resale - Residence			l		Ì	X	X	X	X
Resale - Business			İ	ł		X	X	X	X
Resale - Specials	}	}	1	1	}	X	X	×	×
UNE - LOOPE WALNE	<u> </u>	X	X	X	X		<u> </u>	<u> </u>	

BellSouth's Proposed Implementation of Georgia Docket No. 7892_U

Percent Rejected Service Requests

		Mechan	ized	Non-Mech	Non-Mechanized		Mechanized		anized
	%<10 days	<5 ckts	>=5 ckts	<5 ckts	>=5 ckts	<10 ckts	>=10 ckts	<10 ckts	>=10 ckts
Trunks	X								
UNE						×	x	x	×
UNE (Specials)	l l			\		x	×	x	X
Resale - Residence	1			ł	1	x	×	x	x
Resale - Business				1	1	X	x	×	x
Resale - Specials	1			1		×	x	×	X
UNE - Loops w/LNP	1 1	X	x	×	×			1	

Percent Flow-Through Service Requests

		Mechan	Mechanized Non-Mechanized Mechanized				ized	Non-Mechanized		
	%<10 days	<5 citts	>=5 ckts	<5 ckts	>=5 ckts	<10 ckts	>=10 ckts	<10 ckts	>=10 ckts	
Trunks	X									
UNE	!					×	X	X	x	
UNE (Specials)	1 1			Í		×	x	×	×	
Resale - Residence	1			1		x	x	x	x	
Resale - Business	1			1		х	X	×	×	
Resale - Specials	1 1			}		×	X	x	x	
UNE - Loops w/LNP	1	X	×	l x	X					

Service Request Cycle Time

		Mechan	Mechanized Non-Mechanized Mechanized				nized	Non-Mechanized		
	%<10 days	<5 ckts	>=5 ckts	<5 ckts	>=5 ckts	<10 ckts	>=10 ckts	<10 ckts	>=10 ckts	
Trunks	X									
UNE]]			}		x	×	×	×	
UNE (Specials)			İ			×	X	X	х	
Resale - Residence	1				1	×	×	×	X	
Resale - Business	1					x	X	X	×	
Resale - Specials]])			X	X	×) x	
UNE - Loops w/LNP	1 1	X	l x	×	×	1				

Service Request Submissions per Request

		Mechan	Mechanized Non-Mechanized Mechanized				ized	Non-Mechanized		
	%<10 days	<5 ckts	>=5 ckts	<5 citte	>=5 citts	<10 cide	>=10 ckts	<10 ckts	>=10 ckts	
Trunks	X									
UNE	1 1			1		×	X	x	X	
UNE (Specials)	1 [ĺ		×	×	×	×	
Resale - Residence	1 1					X	×	X	x	
Resale - Business	}					×	×	X	×	
Resale - Speciale	1 1	ı		1		X	×	X	×	
UNE - Loops w/LNP	1 1	X	l x	X	l x	1	1	1		

Speed of Answer in Ordering Center

	Ave. Answer time (Sec.) / month	Ave. Answer time (Sec.) / year
LCSC	X	X

BellSouth's Proposed Implementation of Georgia Docket No. 7892_U

PROVISIONING

Function:	Order Completion Intervals
Measurement	The "average completion interval" measure monitors the time required by BST to
Overview:	deliver integrated and operable service components requested by the CLEC, regardless
	of whether resale services or unbundled network elements are employed. When the
	service delivery interval of BST is measured for comparable services, then conclusions
	can be drawn regarding whether or not CLECs have a reasonable opportunity to
	compete for customers. The "order completion interval distribution" measure monitors
	the reliability of BST commitments with respect to committed due dates to assure that
	CLECs can reliably quote expected due dates to their retail customer. In addition, when
}	monitored over time, the "average completion interval" and "percent completed on
	time" may prove useful in detecting developing capacity issues.
Measurement	1. Average Completion Interval = ∑ [(Completion Date & Time) - (Order
Methodology:	Submission Date & Time)] / (Count of Orders Completed in Reporting Period)
	2. Order Completion Interval Distribution = \sum (Service Orders Completed in "X"
	days) / (Total Service Orders Completed in Reporting Period) X 100
	The actual completion interval is determined for each order processed during the
	reporting period. The completion interval is the elapsed time from BST receipt of a
	syntactically correct order from the CLEC to BST's return of a valid completion
1	notification to the CLEC. Elapsed time for each order is accumulated for each
1	reporting dimension. The accumulated time for each reporting dimension is then
	divided by the associated total number of orders completed within the reporting period.
	The distribution of completed orders is determined by first counting, for each specified
	reporting dimension, both the total numbers of orders completed within the reporting
	interval and the number of orders completed by the committed due date (as specified on
	the initial FOC returned to the CLEC). For each reporting dimension, the resulting
	count of orders completed for each specified time period following the committed due
ļ	date is divided by the total number of orders completed with the resulting fraction
	expressed as a percentage.
	Objective: Average time from receipt of (confirmed) service request to actual order
1	completion date. Excludes orders where customer requested dates are beyond offered
	interval.
	Methodology:
1	Mechanized metric from ordering system
	• If mechanical not available, a (BST & CLEC) statistically validated sample should
	be used.

BellSouth's Proposed Implementation of Georgia Docket No. 7892_U

Reporting Dimensions:	Excluded Situations:
See Appendix A, item 2	Orders where customer requested dates are
 See Appendix A, item 4 	beyond offered interval
Data Retained Relating to CLEC Experience:	Data Retained Relating to BST Performance:
Report Month	Report Month
CLEC Order Number	Average Order Completion Interval
Order Submission Date	Order Completion by Interval
Order Submission Time	Service Type
Order Completion Date	Activity Type
Order Completion Time	Geographic Scope
Service Type	
Activity Type	
Geographic Scope	

Order Completion Interval Distribution	Average Completio
--	-------------------

Order Completi	ion Interval Dis		Average Completion Interval						
UNE LOOPS	Same Day	1	2	3	4	5	>5	Total	Ave. Completion Interval
Dispatch									
< 10 circuits	×	X	x	X	X	X	X	X	×
>= 10 circuits	×	X	X	X	x	X	X	X	×
No Dispatch		-						·	7
< 10 circuits	×	X	X	x	X	x	X	X	/ ×
>= 10 circuits	×	x	x	x	X	x	X	X	<u> </u>

UNE LOOPS WILNP	Same Day	1	2	3	4	5	>5	Total	Ave. Completion Interval
Dispatch									
< 5 circuits	×	X	×	X	×	X	X	x	x
>= 5 circuits	x	x	X	X	х	X	X	x	X
No Dispatch									7
< 5 circuits	×	X	x	X	×	X	x	X	×
>= 5 circuits	X	x	x	X	X	x	X	X	x

TRUNKS	5 Days	10	15	20	25	30	>30	Total	Ave. Completion Interval
Dispatch % < 10 days	Х	Х	×	X	X	X	×	X	X
No Dispatch % < 10 days	×	×	X	X	X	x	X	x	1 x 1

BellSouth's Proposed Implementation of Georgia Docket No. 7892_U

Order Completion Interval Distribution
RESALE RESIDENCE | Same Day | 1 Average Completion Interval

Total Ave. Completion Interval Same Day 1 2 5 Dispatch LCSC orders < 10 circuits >= 10 circuits BST orders < 10 circuits X >= 10 circuits No Dispatch LCSC orders < 10 circuits X X >= 10 circuits BST orders < 10 circuits x X X X

>= 10 circuits

RESALE BUSINESS	Same Day	1	2	3	4	5	>5	Total	Ave. Completion Interval
Dispatch									
LCSC orders	ł								
< 10 circuits	l x	×	×	X	X	X	x	x	×
>= 10 circuits	×	x	x	×	×	×	×	×	×
BST orders									
< 10 circuits	x	X	×	X	X	×	X	X	×
>= 10 circuits	×	×	X	X	×	x	X	X	×
No Dispetch									
LCSC orders									
< 10 circuits	×	X	×	X	X	X	x	x	×
>= 10 circuits	×	X	×	×	x	×	x	x	x
BST orders									
< 10 circuits	×	x	X	X	x	x	x	x	x
>= 10 circuits	×	X	×	x	x	X	x	x	x

RESALE SPECIALS	Same Day	1	2	3	4	5	>5	Total	Ave. Completion Interval
Dispetch									
LCSC orders	1								
< 10 circuits	x	X	X	X	X	X	X	X	x
>= 10 circuits	×	X	x	x	x	×	×	×	x
BST orders	[į.
< 10 circuits	×	x	X	X	X	x	X	x	×
>= 10 circuits	×	x	×	X	×	x	X	x	x
No Dispetch				······					
LCSC orders	i i								
< 10 circuits	×	X	X	X	X	X	x	x	X
>= 10 circuita	×	X	×	×	×	x	×	×	×
BST orders									
< 10 circuits	X	X	X	X	X	X	x	X	x
>= 10 circuits	×	×	×	×	x	X	×	х	×

BellSouth's Proposed Implementation of Georgia Docket No. 7892_U

PROVISIONING

Function:	Held Orders
Measurement	When delays occur in completing CLEC orders, the average period that CLEC orders
Overview:	are held for BST reasons, pending a delayed completion, should be no worse for the
	CLEC when compared to BST orders.
Measurement	1. Mean Held Order Interval = ∑ (Reporting Period Close Date - Committed
Methodology:	Order Due Date) / (Number of Orders Pending and Past The Committed Due
	Date) for all orders pending and past the committed due date.
	This metric is computed at the close of each report period. The held order interval is established by first identifying all orders, at the close of the reporting interval, that both have not been reported as "completed" via a valid completion notice and have passed the currently "committed completion date" for the order. For each such order the number of calendar days between the committed completion date and the close of the reporting period is established and represents the held order interval for that particular order. The held order interval is accumulated by the standard groupings in Appendix A, item 2, and the reason for the order being held, if identified. The total number of days accumulated in a category is then divided by the number of held orders within the same category to produce the mean held order interval.
	(# of Orders Held for \geq 90 days) / (Total # of Orders Pending But Not Completed) X 100.
	(# of Orders Held for ≥ 15 days) / (Total # of Orders Pending But Not Completed) X 100.
	This "percentage orders held" measure is complementary to the held order interval but is designed to detect orders continuing in a "non-completed" state for an extended period of time. Computation of this metric utilizes a subset of the data accumulated for the "held order interval" measure. All orders, for which the "held order interval" equals or exceeds 90 or 15 days, are counted for order type. The total number of pending and past due orders for order type are counted (as was done for the held order interval) and divided into the count of orders held past 90 or 15 days.
	Objective: Average time to detect orders continuing in a "non-complete" state for extended period of time.

BellSouth's Proposed Implementation of Georgia Docket No. 7892_U

Re	porting Dimensions:	Excluded Situations:
•	See Appendix A, item 2	Any order canceled by the CLEC will be
•	See Appendix A, item 4	excluded from this measurement.
1		Orders held for CLEC end user reasons
		Orders held for BST end user reasons
l		 Order Activities of BST associated with
<u> </u>		internal or administrative use of local services.
Da	ta Retained Relating to CLEC Experience:	Data Retained Relating to BST Performance:
•	Report Month	Report Month
•	CLEC Order Number	Average Held Order Interval
•	Order Submission Date	Standard Error for the Average Held Order
•	Committed Due Date	Interval
•	Service Type	Service Type
•	Hold Reason	Hold Reason
•	Geographic Scope	Geographic Scope

Mean Held Order Interval

	Dispatch		1	No-Dispat	ch	Dispatch		No-Dispatch	
	%<10 days	<5 ckts	>=5 ckts	<5 ckts	>=5 ckts	<10 ckts	>=10 ckts	<10 ckts	>=10 ckts
Trunks									
>= 90 days	×			1	•			1	Ì
>= 15 days	×				}	}			}
UNE	[[{			}
>= 90 days	} }			}	}	X	X) x	X
>= 15 days	!			1		X	X	×	X
Resale - Residence	}					1	İ		i
>= 90 days	{					X	X	×	X
>= 15 days	[İ	ł	×	×	×	×
Resale - Business	1			}		1	1		
>= 90 d ays	1		}	1	l	X	X	X	x
>= 15 days		}	1	1		X	×	X	×
Resale - Specials	{		}	1	}			1	}
>= 90 days	j		j			X	x	x	X
>= 15 days		ł	1		}	X	X	X	X
UNE - Loops W/LNP	1	ł		}		1			
>= 90 days		X	×	X	×	1			
>= 15 days	1	X	×	×	×	1	}		

BellSouth's Proposed Implementation of Georgia Docket No. 7892_U

PROVISIONING

Function:	Installation Timeliness, Quality & Accuracy
Measurement	The "percent missed installation appointments" measure monitors the reliability of BST
Overview:	commitments with respect to committed due dates to assure that CLECs can reliably
	quote expected due dates to their retail customer. Percent Provisioning Troubles within
	30 days of Installation measures the quality of installation activities and Percent Order
	Accuracy measures the accuracy with which services ordered by the CLECs were
	provided.
Measurement	1. Percent Missed Installation Appointments = ∑ (Number of Orders missed in
Methodology:	Reporting Period) / (Number of Orders Completed in Reporting Period) X 100
	Percent Missed Installation Appointments is the percentage of total orders processed for which BST notifies the CLEC that the work will not be completed as committed on the original FOC. The measurement result is derived by dividing the count on misses BST issues to the CLEC by the count of FOCs returned by BST during the identical period.
	Objective: Percent of orders where completion's are not done by due date on order confirmation. Misses due to competing carrier or end user causes should be aggregated out and indicated.
Ì	Methodology:
	Mechanized metric from ordering system
	2. % Provisioning Troubles within 30 days of Installation = \sum (All Troubles on Services installed \leq 30 days in a calendar month) / (All Installations in same calendar month) X 100
	Objective: Measures the quality of completed orders
	Methodology: Mechanized metric from ordering system
	3. Percent Order Accuracy = (Σ Orders Completed w/o error) / (Σ Orders Completed) X 100.
	Objective: Measures the accuracy and completeness of BST provisioning or disconnecting service by comparing what was ordered and what was completed.
	Methodology:
	Non-Mechanized Results are based on an audit of a statistically valid sample
	Mechanized Results are based on an audit of a statistically valid sample

BellSouth's Proposed Implementation of Georgia Docket No. 7892_U

Reporting Dimensions:	Excluded Situations:
See Appendix A, item 2	• None
• See Appendix A, item 4	
Data Retained Relating to CLEC Experience:	Data Retained Relating to BST Performance:
Report Month	Report Month
 CLEC Order Number 	BST Order Number
 Order Submission Date 	Order Submission Date
 Order Submission Time 	Order Submission Time
Status Type	Status Type
Status Notice Date	Status Notice Date
Status Notice Time	Status Notice Time
Standard Order Activity	Standard Order Activity
Geographic Scope	Geographic Scope

Percent Missed Appointments

2200 (400)	Dispatch		No-Dispatch		Dispatch		No-Dispat	ch	
	%<10 days	<5 ckts	>=5 ckts	<5 ckts	>=5 ckts	<10 ckts	>=10 ckts	<10 ckts	>=10 ckts
Trunks	X								
UNE) <u> </u>			ļ		×	×	×	×
UNE (Specials)				ĺ		x	x	х	×
Resale - Residence	1			1		X	X	X	×
Resale - Business						X	X	X	×
Resale - Specials	} }					×	x	X	X
UNE - Loops w/LNP	1 1	Х	X	x	x				

Percent Provisioning Troubles within 30 days of Installation

	1	Dispatch		No-Dispatch		Dispatch		No-Dispat	ch
	%<10 days	<5 ckts	>=5 ckts	<5 ckts	>=5 ckts	<10 ckts	>=10 ckts	<10 ckts	>=10 ckts
Trunks	X								
UNE	} }			}	l	×	×	X	×
UNE (Specials)		li]		×	×	×	×
Resale - Residence					1	X	×	×	×
Resale - Business	1					×	х	X	×
Resale - Specials	1				j) x	X	x	×
UNE - Loops WLNP	} }	X	X	×	×	ł	1	}	

Percent Provisioning Order Accuracy

			Dispatch		No-Dispatch		Dispatch		ch
	%<10 days	<5 citts	>=5 ckts	<5 ckts	>=5 ckts	<10 ckts	>=10 ckts	<10 ckts	>=10 ckts
Trunks	×								
UNE	1			l .		X	х	×	X
UNE (Specials)	1				}	×	X	×	×
Resale - Residence	1			İ		x	×	x	×
Resaje - Business	1			}		×	X	X	×
Resale - Specials						×	×	X	×
UNE - Loops w/LNP	1 1	×	×	×	×	l		i	ĺ

BellSouth's Proposed Implementation of Georgia Docket No. 7892_U

MAINTENANCE & REPAIR (MR)

Function:	Customer Trouble Report Rate						
Measurement Overview:	This measure can be used to establish that CLECs are not competitively disadvantaged, compared to BST, as a result of experiencing more frequent incidents of trouble reports.						
Measurement Methodology:	1. Customer Trouble Report Rate = (Count of Initial & Repeated Trouble Reports in the Current Period) / (Number of Service Access Lines in Service at End of the Report Period) X 100. Note: Local Interconnection Trunks are reported only as total troubles. No meaningful count of lines in service exists.						
	The frequency of trouble metric is computed by accumulating the total number of maintenance tickets logged by a CLEC (with BST) during the reporting period. The resulting number of tickets is divided by the total number of "service access lines" existing for the CLEC at the end of the report period.						
	Objective: Initial customer direct or referred troubles reported within a calendar month where cause is in the network (not customer premises equipment, inside wire, or carrier equipment) per 100 lines/circuits in service.						
	Methodology: Mechanized metric trouble reports and lines in service captured in maintenance database(s).						

Re	porting Dimensions:	Excluded Situations:				
•	See Appendix A, item 3 See Appendix A, item 4	 Trouble tickets canceled at the CLEC request BST trouble reports associated with administrative service Instances where the CLEC or BST customer requests a ticket be "held open" for monitoring 				
Dı	ita Retained Relating to CLEC Experience:	Data Retained Relating to BST Performance:				
• • • • • • •	Report Month CLEC Ticket Number Ticket Submission Date Ticket Submission Time Ticket Completion Time Ticket Completion Date Service Type WTN or CKTID (a unique identifier for elements combined in a service configuration)	 Report Month BST Ticket Number Ticket Submission Date Ticket Submission Time Ticket Completion Time Ticket Completion Date Service Type WTN or CKTID (a unique identifier for elements combined in a service configuration) 				
•	Disposition and Cause Geographic Scope	 Disposition and Cause Geographic Scope 				